

# W-Flex

2.4 / 5 GHz Flexible  
PCB Antenna

## Features

- ◆ Covers 2.4 and 5 GHz bands
- ◆ Flexible PCB for ease of mounting
- ◆ Double-sided tape mounting
- ◆ Various cable/connector options

## Specifications

|                   |  |
|-------------------|--|
| Frequency range   | 2.4-2.5 / 4.9-5.9 GHz                  |
| Peak Gain         | 2.0 / 4.0 dBi                          |
| Polarisation      | Linear                                 |
| Impedance         | 50 Ohm                                 |
| VSWR              | <1.6:1                                 |
| Power rating      | 1W                                     |
| Cable / Connector | 100mm cable - U.FL, SMA, TS9, CRC, FME |
| Dimensions        | 57 x 8 x 0.2mm                         |

## Popular Ordering Options

|                 |  |
|-----------------|--|
| FWFX35350-UF-10 | W-Flex antenna with 100mm cable and U.FL     |
| FWFX35350-SM-10 | W-Flex antenna with 100mm cable and SMA-Male |

Specifications subject to change without notice.

5 Little Balmer  
Buckingham Industrial Park  
Buckingham  
MK18 1TF  
UK


Tel: +44 (0)1280 824055  
Fax: +44 (0)1280 817179  
Email: [sales@ead-ltd.com](mailto:sales@ead-ltd.com)  
Web: [www.ead-ltd.com](http://www.ead-ltd.com)

**EAD**   
embedded antenna design ltd  
*Delivering Antenna Innovation*




## W-FLEX | 2.4 / 5 GHz Flexible PCB Antenna

### VSWR



### Return Loss



Specifications subject to change without notice.

5 Little Balmer  
 Buckingham Industrial Park  
 Buckingham  
 MK18 1TF  
 UK

Tel: +44 (0)1280 824055  
 Fax: +44 (0)1280 817179  
 Email: sales@ead-ltd.com  
 Web: www.ead-ltd.com