

CUSTOMER :

SPECIFICATION SHEET

ITEM : 700MHZ~2,700MHz 2Way Power Divider
Part No : WVV-0.7T2.7G-2WS01

	Written	Checked	Approved
SUPPLIER			

◆ INDEX

– INDEX	-----	2
– REVISION HISTORY	-----	2
– APPLICATION, FEATURES	-----	3
– ELECTRICAL SPECIFICATION	-----	3
– ENVIRONMENTAL SPECIFICATION	-----	3
– MECHANICAL SPECIFICATION	-----	3
– OUTLINE DRAWING	-----	4

◆ REVISION HISTORY

AUTHORS	DATE	REVISION	NOTE
J.D. OH	2014. 10. 07.	00	First Draft

POWER DIVIDER(2WAY)

Rev. No.00
Date : 2014. 10. 07.

PART NO. : WV-0.7T2.7G-2WS01

◆ APPLICATION

> 0.7GHz ~ 2.7GHz System

◆ FEATURE

> High Reliability
> RoHS Compliant

◆ ELECTRICAL SPECIFICATION

ITEM	SPECIFICATION
Frequency Range (GHz)	0.7 ~ 2.7
Insertion Loss	3.5dB Max
VSWR	1.3:1 Max
Isolation	20dB Min
Power	1W CW Max
In/Out Impedance	50 Ohms Nominal

◆ ENVIRONMENTAL SPECIFICATIONS

ITEM	SPECIFICATION
Operating Temperature Range	-35°C to +75°C

◆ MECHANICAL SPECIFICATIONS

ITEM	SPECIFICATION
Dimension	42.0 x 48.0 x 14.0 Max (Unit:mm)
Mounting Points	See Outline Drawing
RF Connector	All Ports : SMA Female Connector
Connector Position	See Outline Drawing
Finish	White Color Chromate

POWER DIVIDER(2WAY)

Rev. No.00
Date : 2014. 10. 07.

◆ OUTLINE DRAWING

